






Conversion of legacy geodatabase to GeMS for compilation: Managing and preserving generalized map product details

Example from the Preliminary geologic map of the west half of the San Luis Obispo 30' x 60' Quadrangle, CA (Version 2.0)

Janis Hernandez, Carlos Gutierrez, Rachel Beard, and Deshawn Brown California Geological Survey






Project Tasks - STATEMAP FY 20-21

- Convert legacy database into a Level 3 GeMS geodatabase
- Generalize map to improve the cartographic display at 1:100,000-scale
 - Explore strategies/methodologies for retaining the 1:24,000-scale detail, while simplifying mapping to make suitable for 1:100,000-scale display
- Update map layout and pamphlet to reflect any changes

Deliverables

 GeMS-compliant (Level 3) geologic map database and updated map and pamphlet in PDF format



Wiegers, M.O., 2021, Preliminary geologic map of the west half of the San Luis Obispo 30' x 60' Quadrangle, Version 2.0: California, California Geological Survey, scale 1:100,000.


California Geological Survey | conservation.ca.gov/cgs

West Half San Luis Obispo 30' x 60'



GeMS Conversion

- All data from original compilation were loaded into a GeMS database
 - Small polygons and associated lines previously removed were reintegrated
- · Offshore data were merged with onshore data
- Data QC
- GeMS attribution was completed
 - e.g., DataSourceID, LocationConfidenceMeters fields
- GeMS tables were populated
 - DataSources, DescriptionOfMapUnits, and Glossary tables
- GEOLEX
 - Formal geologic unit names used in the map were checked for conformance with the U.S. Geologic Names Lexicon (GEOLEX)



West Half San Luis Obispo 30' x 60'



Generalization – why did need to do this?


 Peer review and internal review comments noted on Version 1 map too complex for display at present scale.


Reviewed options for retaining all 24k detail from original compilation.

 Tested smoothing and generalizing techniques – undesirable changes to line character and placement


 Decided to preserve a version of full-detailed GeMS GDB and proceed with a copy that would go through the generalization process:


- · Small polygons were filtered by size and removed
 - Geologic units less than 12,300 m²
 - Landslides less than 50,000 m²
- Thin polygons were identified and evaluated for removal
- Minimal lumping of map units
- Thinning of structural data
- Cartographic cleanup
 - New map unit and structure point labels (style)






Version 1.0 Version 2.0





Added halos for visibility of map unit labels and structure points




Version 2.0
Selected structure points and structure arcs


West Half San Luis Obispo 30' x 60' Version 2.0



Deliverables









Summary of new detailed and generalized .gdb workflow


24k

- Preliminary 24k .pdf maps marked with superseded comment.
- Data likely to be revised (lidar) when compiled into GeMS-compliant 30'x 60' quadrangle map.
- Detailed GeMS geodatabase with all revisions available through CGS.
- Copy of detailed .gdb used for generalized 100k version.

100k

- Generalization processes performed and documented.
- External peer review of map products immediately following STATEMAP period of performance.
- Posting of preliminary map on CGS website and notification to County/City agencies for awareness.
- Comments from external review will be evaluated and incorporated.
- Within one year after the period of performance, the map will be formally published into the new CGS "Geologic Map" series and final product submitted to NCGMP.







THANK YOU

Questions?

Janis Hernandez Carlos Gutierrez Rachel Beard Deshawn Brown Janis.Hernandez@conservation.ca.gov Carlos.Gutierrez@conservation.ca.gov Rachel.Beard@conservation.ca.gov Deshawn.Brown@conservation.ca.gov

California Geological Survey

California Geological Survey | conservation.ca.gov/cgs